

MARINE GENERATOR SPECIFICATIONS



KOHLER Marine

	Generator Model	kW*	Hz	Cyl	RPM	Phase	Voltage	Amps	Length x Width x Height mm (in)		Weight kg (lb)						
									(H) Housed	(U) Unhoused							
GASOLINE	5EKD	5	60	2	3600	1	120	41	(H) 773 (30.43) x 500 (19.69) x 467 (18.39) (U) 691 (27.20) x 466 (18.35) x 445 (17.51)	129 (285) 118 (260)							
	4EFKD	4	50		3000		120/240	20									
				230			17										
	7.5EKD	7.5	60	2	3600	1	120	62	(H) 773 (30.43) x 500 (19.69) x 467 (18.39) (U) 691 (27.20) x 466 (18.35) x 445 (17.51)	129 (285) 118 (260)							
							120/240	31									
							230	26									
	6EFKD	6	50	2	3000	1	240	25	(H) 800 (31.49) x 500 (19.69) x 467 (18.39) (U) 717 (28.23) x 466 (18.35) x 445 (17.51)	145 (320) 134 (295)							
							10EKD	10			60	2	3600	1	120	83	
	8EFKD	8	50	2	3000	1	120/240	41									
							230	34									
240							33										
DIESEL	6EKOD	6	60	3	1800	1	120	50	(H) 780 (30.7) x 528 (20.8) x 559 (22) (U) 743 (29.3) x 448 (17.6) x 536 (21.1)	222 (489) 185 (408)							
	5EFKOD	5	50		1500		120/240	50/25									
							115/230	43.4/21.7									
							230	21.7									
	9EKOZD	8.5	60	3	1800	1	120	50	(H) 865 (34.1) x 528 (20.8) x 559 (22) (U) 827 (32.6) x 448 (17.6) x 536 (21.1)	249 (549) 211 (465)							
							120/240	50/25									
							115/230	43.4/21.7									
							230	21.7									
	7EFKOZD	7	50	3	1500	1	240	20.8	(H) 960 (37.8) x 528 (20.8) x 559 (22) (U) 922 (36.3) x 448 (17.6) x 536 (21.1)	279 (615) 241 (531)							
							120/240	91.7									
							120/240	91.7/45.8									
							115/230	78.3/39.1									
	11EKOZD	11	60	4	1800	1	230	39.1	(H) 960 (37.8) x 528 (20.8) x 559 (22) (U) 922 (36.3) x 448 (17.6) x 536 (21.1)	280 (617) 242 (533)							
							240	37.5									
							11EKOZD	11			60	4	1800	3	220/380	20.9	
							9EFKOZD	9			50				1500	1	240/416
	120/240	33.1															
	127/220	36.1															
	13EOZD	13	60	3	1800	1	230/400	16.2	(H) 1048 (41.3) x 635 (25) x 690 (27.2) (U) 936 (36.9) x 572 (22.5) x 659 (25.9)	332 (735) 297 (655)							
							120/240	108.4/54.2									
							115/230	95.7/47.8									
							230	47.8									
	11EFOZD	11	50	3	1500	1	240	45.8	(H) 992 (397) x 601 (23.64) x 711 (27.99) (U) 984 (38.76) x 563 (22.15) x 682 (26.86)	395 (870) 376 (830)							
							13EKOZD	13			60	3	1800	1	120	108	
11EFKOZD							11	50			1500				1	120/240	54
																230	48
	240	38															
13EKOZD	13	60	3	1800	1	120/280	45	(H) 992 (397) x 601 (23.64) x 711 (27.99) (U) 984 (38.76) x 563 (22.15) x 682 (26.86)	395 (870) 376 (830)								
						120/240	39										
						120/240	54										
						127/220	43										
						139/240	39										
						277/480	20										
						110/190	42										
						115/230	35										
						115/230	48										
						120/208	38										
230/400	20																
240/416	19																
220/380	21																
15EOZD	15	60	3	1800	1	120/240	125/62.5	(H) 1048 (41.3) x 635 (25) x 690 (27.2) (U) 936 (36.9) x 572 (22.5) x 659 (25.9)	338 (745) 376 (830)								
						115/230	113/56.5										
						230	56.5										
13EFOZD	13	50	3	1500	1	240	54.2	(H) 1011 (39.8) x 601 (23.64) x 711 (27.99) (U) 1003 (39.49) x 563 (22.15) x 682 (26.86)	395 (870) 376 (830)								
						15EKOZD	15			60	3	1800	1	120	125		
13EFOZD	13	50	1500	1	120/240	63											
					230	57											
13EFOZD	13	50	1500	1	240	38	(H) 1011 (39.8) x 601 (23.64) x 711 (27.99) (U) 1003 (39.49) x 563 (22.15) x 682 (26.86)	395 (870) 376 (830)									

DIESEL

Generator Model	kW*	Hz	Cyl	RPM	Phase	Voltage	Amps	Length x Width x Height mm (in) (H) Housed (U) Unhoused	Weight kg (lb)			
15EKOZD	15	60	3	1800	1	120/280	52	(H) 1011 (39.8) x 601 (23.64) x 711 (27.99) (U) 1003 (39.49) x 563 (22.15) x 682 (26.86)	395 (870) 376 (830)			
						120/240	45					
						120/240	63					
						127/220	49					
						139/240	45					
						277/480	23					
						110/190	49					
						115/230	41					
						115/230	57					
						120/208	45					
13EFOZD	13	50	3	1500	3	230/400	23	(H) 1011 (39.8) x 601 (23.64) x 711 (27.99) (U) 1003 (39.49) x 563 (22.15) x 682 (26.86)	395 (870) 376 (830)			
						240/416	22					
						220/380	25					
						230	74					
						240	58					
						110/190	61					
						115/230	50					
						115/230	74					
						120/208	56					
						230/400	29					
17EFOZD	17	50	4	1500	3	240/416	28	(H) 1124 (44.25) x 601 (23.64) x 711 (27.99) (U) 1117.1 (43.98) x 563 (22.15) x 682 (26.86)	476 (1050) 440 (970)			
						220/380	30					
						230	87					
						240	77					
						110/190	74					
						115/230	61					
						115/230	87					
						120/208	66					
						230/400	35					
						240/416	33					
20EFOZD	20	50	4	1500	3	220/380	38	(H) 1144 (45.5) x 601 (23.64) x 711 (27.99) (U) 1138 (44.81) x 563 (22.15) x 682 (26.86)	490 (1080) 449 (990)			
						230	87					
						240	77					
						110/190	74					
						115/230	61					
						115/230	87					
						120/208	66					
						230/400	35					
						240/416	33					
						220/380	38					
20EOZD	20	60	4	1800	1	120/240	166.6/83.3	(H) 1137 (44.8) x 635 (25) x 690 (27.2) (U) 1049 (41.3) x 578 (22.8) x 659 (25.9)	375 (827) 340 (749)			
17EFOZD	17	50		1500		115/230	148/74					
23EOZD	23	60	4T	1800	1	120/240	191.6/83.3	(H) 1137 (44.8) x 635 (25) x 690 (27.2) (U) 1049 (41.3) x 578 (22.8) x 659 (25.9)	387 (853) 352 (776)			
20EFOZD	20	50		1500		115/230	174/87					
						230	87			240	83.3	
28EOZD	28	60	4	1800	1	120/240	233.4/116.7	(H) 1295 (51) x 635 (25) x 810 (31.9) (U) 1188 (46.8) x 635 (25) x 767 (30.2)	626 (1380) 581 (1280)			
25EFOZD	25	50		1500		115/230	108.7			230	108.7	
						240	104.2					
28EOZD	28	60	4	1800	3	120/240	116.7	(H) 1295 (51) x 635 (25) x 810 (31.9) (U) 1188 (46.8) x 635 (25) x 767 (30.2)	626 (1380) 581 (1280)			
						120/240	84.3					
						139/240	84.3					
						277/480	42.1					
25EFOZD	25	50		4	1500	3	115/230			108.7	(H) 1295 (51) x 635 (25) x 810 (31.9) (U) 1188 (46.8) x 635 (25) x 767 (30.2)	626 (1380) 581 (1280)
							110/190			95.1		
							115/230			78.5		
							120/208			86.8		
							230/400			45.2		
							240/416			43.4		
32EOZD	32	60	4	1800	1	120/240	266.7/133.3	(H) 1295 (51) x 635 (25) x 810 (31.9) (U) 1188 (46.8) x 635 (25) x 767 (30.2)	621 (1370) 576 (1270)			
28EFOZD	28	50		1500		115/230	121.7			230	121.7	
										240	116.7	
32EOZD	32	60	4	1800	3	120/240	133.3	(H) 1295 (51) x 635 (25) x 810 (31.9) (U) 1188 (46.8) x 635 (25) x 767 (30.2)	626 (1380) 581 (1280)			
						120/240	96.3					
						139/240	96.3					
						277/480	48.2					
28EFOZD	28	50		4	1500	3	115/230			117.4	(H) 1295 (51) x 635 (25) x 810 (31.9) (U) 1188 (46.8) x 635 (25) x 767 (30.2)	626 (1380) 581 (1280)
							110/190			106.5		
							115/230			88		
							120/208			97.3		
							230/400			50.6		
							240/416			48.6		

*kW rating varies by voltage. Consult the generator spec sheet for more detail.
 "T" in cylinder column stands for "turbocharger."

Generator Model	kW*	Hz	Cyl	RPM	Phase	Voltage	Amps	Length x Width x Height mm (in)		Weight kg (lb)
								(H) Housed	(U) Unhoused	
40EOZDJ	40	60	4	1800	1 3	120/240 120/208	150 139	(H) 1633 (64.3) x 767 (30.2) x 1015 (39.9)	1000 (2205)	
										(U) 1524 (60) x 722 (28.4) x 960 (37.8)
33EFOZDJ	33	50	4	1500	1 3	120/240 127/220 139/240	120 131 120	(H) 1633 (64.3) x 767 (30.2) x 1015 (39.9)	910 (2005)	
										(U) 1524 (60) x 722 (28.4) x 960 (37.8)
40EFOZDJ	40	50	4	1500	1 3	115/230 110/190	174 152	(H) 1633 (64.3) x 767 (30.2) x 1015 (39.9)	1052 (2320)	
										(U) 1549 (60.9) x 738 (29) x 961 (37.8)
50EFOZDJ	50	50	4	1500	1 3	220/380 230/400 240/416	63 60 57	(H) 1633 (64.3) x 767 (30.2) x 1015 (39.9)	966 (2130)*	
										(U) 1549 (60.9) x 738 (29) x 961 (37.8)
55EOZDJ	55	60	4	1800	1 3	115/230 110/190	196 190	(H) 1690 (66.5) x 767 (30.2) x 1015 (39.9)	1087 (2396)	
										(U) 1606 (63.2) x 738 (29) x 961 (37.8)
45EFOZDJ	45	50	4	1500	1 3	220/380 230/400 240/416	95 87 83	(H) 1690 (66.5) x 767 (30.2) x 1015 (39.9)	1001 (2206)*	
										(U) 1606 (63.2) x 738 (29) x 961 (37.8)
55EFOZDJ	55	50	4	1500	1 3	120/240 120/208	221 191	(H) 1633 (64.3) x 767 (30.2) x 1015 (39.9)	1063 (2344)	
										(U) 1549 (60.9) x 738 (29) x 961 (37.8)
65EOZDJ	65	60	4	1800	1 3	127/220 139/240	180 165	(H) 1633 (64.3) x 767 (30.2) x 1015 (39.9)	977 (2154)*	
										(U) 1549 (60.9) x 738 (29) x 961 (37.8)
55EFOZDJ	55	50	4	1500	1 3	115/230 110/190	196 171	(H) 1633 (64.3) x 767 (30.2) x 1015 (39.9)	977 (2154)*	
										(U) 1549 (60.9) x 738 (29) x 961 (37.8)
80EOZDJ	80	60	4	1800	1 3	110/220 220/380 230/400 240/416	148 86 79 71	(H) 1633 (64.3) x 767 (30.2) x 1015 (39.9)	977 (2154)*	
										(U) 1549 (60.9) x 738 (29) x 961 (37.8)
65EFOZDJ	65	60	4	1800	1 3	120/240 120/208	221 226	(H) 1690 (66.5) x 767 (30.2) x 1015 (39.9)	1098 (2420)	
										(U) 1606 (63.2) x 738 (29) x 961 (37.8)
55EFOZDJ	55	50	4	1500	1 3	120/240 127/220	221 213	(H) 1690 (66.5) x 767 (30.2) x 1015 (39.9)	1012 (2230)*	
										(U) 1606 (63.2) x 738 (29) x 961 (37.8)
80EFOZDJ	80	50	4	1500	1 3	277/480 115/230 110/190	98 217 209	(H) 1690 (66.5) x 767 (30.2) x 1015 (39.9)	1012 (2230)*	
										(U) 1606 (63.2) x 738 (29) x 961 (37.8)
80EOZDJ	80	60	4	1800	3	110/220 220/380 230/400 240/416	230 133 126 121	(H) 1754 (69) x 831 (32.7) x 1032 (40.6)	1234 (2720)	
										(U) 1657 (65.2) x 753 (29.6) x 999 (39.3)
70EFOZDJ	70	50	4	1500	3	120/240 127/220	241 262	(H) 1754 (69) x 831 (32.7) x 1032 (40.6)	1143 (2520)*	
										(U) 1657 (65.2) x 753 (29.6) x 999 (39.3)
99EOZDJ	99	60	4	1800	3	139/240 277/480	298 149	(H) 1829 (72) x 831 (32.7) x 1032 (40.6)	1320 (2910)	
										(U) 1732 (68.2) x 753 (29.6) x 999 (39.3)
80EFOZDJ	80	50	4	1500	3	110/190 110/220	304 262	(H) 1829 (72) x 831 (32.7) x 1032 (40.6)	1238 (2730)*	
										(U) 1732 (68.2) x 753 (29.6) x 999 (39.3)
125EOZDJ	125	60	6	1800	3	220/380 230/400 240/416	152 144 139	(H) 2205 (86.81) x 971 (38.23) x 1065 (41.92)	1683 (3710)	
										(U) 2068 (81.43) x 893 (35.16) x 1003 (39.47)
100EFOZDJ	100	50	6	1500	3	120/208 120/240 127/220	347 376 410	(H) 2205 (86.81) x 971 (38.23) x 1065 (41.92)	1578 (3478)	
										(U) 2068 (81.43) x 893 (35.16) x 1003 (39.47)
150EOZDJ	150	60	6	1800	3	139/240 277/480	451 226	(H) 2205 (86.81) x 971 (38.23) x 1065 (41.92)	1719 (3789)	
										(U) 2091 (82.33) x 893 (35.16) x 1003 (39.47)
125EFOZDJ	125	50	6	1500	3	110/190 120/208 110/220	474 433 409	(H) 2205 (86.81) x 971 (38.23) x 1065 (41.92)	1613 (3557)	
										(U) 2091 (82.33) x 893 (35.16) x 1003 (39.47)
125EFOZDJ	125	50	6	1500	3	220/380 230/400 240/416	237 225 217	(H) 2498 (980) x 1129 (44.45) x 1275 (50.2)	1613 (3557)	
										(U) 2091 (82.33) x 893 (35.16) x 1003 (39.47)

*kW rating varies by voltage. Consult the generator spec sheet for more detail.